

INOUE Q61780
METHOD OF DETERMINING THRESHOLD ARRANGEMEN I FOR
GENERATING GRADATION INAGE, AND AFPARATUS TOR
GENERATING GRADATION IMAGE DATA
Filed February 5, 2001
Darryl Mexic 202-293-7050
L of 16



INOUE Q61780
METHOD OF DETERMINING THRESHOLD ARRANGEMENT FOR
GENERATING GRADATION INAGE, AND APPARATUS FOR
GENERATING GRADATION IMAGE DATA
FIELD TENERAL STORY
Darry Mexic 202-293-7060
2 of 16






Filed February 5, 2001 Darryl Mexic

202-293-7060

3/16






The first part will be the first the specimen of the first first the first fir

DIOUE Q61780
METHOD OF DETERMINING THRESHOLD ARRANGEMENT FOR
GENERATING GRADATION INAGE, AND APPARATUS FOR
GENERATING GRADATION IMAGE DATA
Flied February 5, 2001
Darryl Mexic 202-293-7060
4 of 16


FIG. 4



DOUR Q61780
METHOD OF DETERMINING THRESHOLD ARRANGEMENT FOR
GENERATING GRADATION INAGE, AND AFFARATUS FOR
GENERATING GRADATION INAGE DATA
FILE OF THE PROPERTY S. 2001
Darryl Mexic 202-293-7060
5 of 16


5/16

FIG. 5




INOUE Q61780
METHOD OF DETERMINING THRESHOLD ARRANGEMENT FOR
GENERATING GRADATION INAGE, AND APPARATUS FOR
GENERATING GRADATION INAGE DATA
FOR THE SECOND THRESHOLD ARRANGEMENT FOR
DETERMINING GRADATION INAGE DATA
DETERMINING GRADATION INAGE DATA
202.293-7060
6-016

FIG. 6



7/16


FIG. 7



The first street and the first first term of the first first first term of the first first term of the first first

8/16


FIG. 8



The order of the time of the second

THE STEEL STATE OF THE STATE AND THE STATE OF THE STATE O


FIG. 9






10/16

FIG. 10




ATT ATT AT AND THE SECOND TO THE SECOND THE SECOND SECOND

FIG. 11



INOUE Q61780
METHOD OF DETERMINING THRESHOLD ARRANGEMENT FOR
GENERATING GRADATION INAGE, AND APPARATUS FOR
GENERATING GRADATION IMAGE DATA
Flied Tebruary 5, 2001
Daryl Mexic 202-293-7060
12 of 16





531

PARAMETERS

INPUT

SET

START

INOUE

Q61780
METHOD OF DETERMINING THRESHOLD ARRANGEMENT FOR
GENERATING GRADATION INAGE, AND APPARATUS FOR
GENERATING GRADATION IMAGE DATA
FIELD FIELD
FIELD FIELD
FIELD FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIELD
FIEL 13/16 \$52 11=11-S34B 845 846 848 849 **S47** 9 9 CALCULATE LOW-FREQUENCY COMPONENT OF GENERATE BINARY HALFTONE DOT IMAGE SELECT WHITENING CANDIDATE PIXELS EXTRACT LOW-FREQUENCY COMPONENT DETERMINE NEXT WHITENING PIXEL EACH WHITENING CANDIDATE PIXEL AS Ndot \$51 VALUE TI=Tfix-1 = THRESHOLD POSITION ARE POSITIONS
AS MANY THRESHOLDS THRESHOLDS DETERMINED ? DETERMINED ? POSITION YES \$32 S33 **S34** DATA ARE IMAGE INITIA SELECT NUMBER OF DOTS NOOL PER GRADATION SELECT NUMBER OF PIXELS OF SUPERCELL OF HALFTONE DOT S34A 836 S38 **S39** \$35 S37 SFLECT ARRANGEMENT CALCULATE LOW-FREQUENCY COMPONENT OF EACH BLACKENING CANDIDATE PIXEL SELECT BLACKENING CANDIDATE PIXELS GENERATE BINARY HALFTONE DOT IMAGE EXTRACT LOW-FREQUENCY COMPONENT DETERMINE NEXT BLACKENING PIXEL AS MANY THRESHOLDS AS NGOL DETERMINED ? **S41** INITIAL VALUE Th=Tfix+1 S40 = THRESHOLD POSITION ALL THRESHOLDS DETERMINED ? POSITION YES DATA 즮 KES

님

용 Th=Th+1 842


INOUE

SOLVED STATES AND THRESHOLD ARKANESMENT FOR GINERATING GRADATION INAGE, AND APPARATUS FOR GENERATING GRADATION IMAGE DATA
Filed February 5, 2001
Darryl Menne


202-293-7060

14/16

14 of 16



,· •



INQUE Q61780
METHOD OF DETERMINING THRESHOLD ARRANGEMENT FOR
GENERATING GRADATION INAGE, AND APPARATUS FOR
GENERATING GRADATION IMAGE DATA
FIELD THE PROPERTY S, 2001
Duryl Mexic 202-293-7060
16 of 16

